

### **Trust GCL to Deliver Reliable Performance Over Time**

- World- class manufacturer of crystalline silicon photovoltaic modules
- Fully automatic facility and world-class technology
- Rigorous quality control to meet the highest standard: ISO9001:2008, ISO 14001: 2004 and OHSAS: 18001 2007
- Tested for harsh environments (salt mist, ammonia corrosion and sand blowing test: IEC 61701, IEC 62716, DIN EN 60068-2- 68)
- Long term reliability tests
- 2\*100% EL inspection ensuring defect-free modules

## LINEAR PERFORMANCE WARRANTY



### Additional insurance backed by Swiss RE









HIGH EFFICIENCY MULTICRYSTALLINE MODULE

### GCL-P6/60 260-275 Watt

275<sup>w</sup>

**16.9**<sup>%</sup>

0~+5<sup>w</sup> POWER OUTPUT GUARANTEE

С ні

High conversion efficiency due to top quality wafer and advanced cell technology



Selected encapsulating material and stringent production process control ensure product highly PID resistant and snail trails free



Passed sand blowing test, salt mist test and ammonia test; flexible for harsh environments



Optimized system performance by module level current sorting



Special cell process ensures great performance in low irradiance environment



Additional yield and easy maintenance with high transparent self-cleaning glass



According to UL 1703

**Bringing Green Power to Life** 

# GCL-P6/60

HIGH EFFICIENCY MULTICRYSTALLINEMODULE

ELECTRICAL SPECIFICATION (STC)					
	GCL-P6/60 260	GCL-P6/60 265	GCL-P6/60 270	GCL-P6/60 275	
max (W)	260	265	270	275	
Vm(V)	30.8	31	31.2	31.4	
Im(A)	8.44	8.55	8.65	8.76	
Voc(V)	37.9	38.1	38.3	38.5	
Isc(A)	9.09	9.2	9.29	9.38	
(%)	16.0	16.3	16.6	16.9	
Pm(W)		0~	+5		
	Pmax (W) Vm(V) Im(A) Voc(V) Isc(A) (%)	GCL-P6/60 260   Pmax (W) 260   Vm(V) 30.8   Im(A) 8.44   Voc(V) 37.9   Isc(A) 9.09   (%) 16.0	GCL-P6/60 260 GCL-P6/60 265   Pmax (W) 260 265   Vm(V) 30.8 31   Im(A) 8.44 8.55   Voc(V) 37.9 38.1   Isc(A) 9.09 9.2   (%) 16.0 16.3	GCL-P6/60 260 GCL-P6/60 265 GCL-P6/60 270   Pmax (W) 260 265 270   Vm(V) 30.8 31 31.2   Im(A) 8.44 8.55 8.65   Voc(V) 37.9 38.1 38.3   Isc(A) 9.09 9.2 9.29   (%) 16.0 16.3 16.6	

ELECTRICAL DATA (NOCT)					
Maximum Power P	max (W)	190.02	193.91	197.82	200.36
Maximum Power Voltage	Vm(V)	27.7	27.9	28.1	28.3
Maximum Power Current	Im(A)	6.86	6.95	7.04	7.08
Open Circuit Voltage	Voc(V)	35.3	35.5	35.7	35.9
Short Circuit Current	lsc(A)	7.37	7.45	7.55	7.62

NOCT: Irradiance at 800W/m², Ambient Temperature 20°C, Wind Speed 1m/s.

	MECHANICAL DATA	
Solar Cells	Poly 156×156mm (6 inches)	
Cell Orientation	60 Cells (6×10)	
Module Dimensions	1640×992×35mm (64.56 × 39.05 × 1.38 inches)	
Weight	18.1kg	
Glass	High transparency solar glass 3.2mm (0.13 inches)	
Backsheet	White	
Frame	Silver, anodized aluminium alloy	
J-Box	IP67 Rated	
Cables	4.0mm² (0.006 inches²), 900mm (35.4 inches)	
Connector	Original MC4 or Compatible	
Wind Load/ Snow Load	2400Pa/5400Pa*	

\*For more details please check the installation manual of GCLSI

TEMPERATURE RAT	INGS
Nominal Operating Cell Temperature (NOCT)	45±2°C
Temperature Coefficient of PMAX	-0.41%/°C
Temperature Coefficient of $V_{\circ\circ}$	-0.32%/°C
Temperature Coefficient of Isc	+0.055%/°C

### WARRANTY

10 years Product Workmanship Warranty

25 years Linear Power Warranty


(Please refer to GCL standard warranty for details)

MAXIMUM RATINGS				
Operational Temperature	-40~+85°C			
Maximum System Voltage	1000V DC(IEC)			
Max Series Fuse Rating	15A			


### PACKAGING CONFIGURATION

Modules per box: 31 pieces Modules per 40'HD container: 868pieces


#### MODULE DIMENSION



Back view



### I-V CURVES OF MODULE(260W)



Excellent performance under weak light conditions: at an irradiation intensity of 200W/m<sup>2</sup> W/m(AM 1.5, 25 °C), 96.5% or higher of the STC eciency (1000 W/m<sup>2</sup>) is achieved



Bringing Green Power to Life http://en.gclsi.com

GCL-EN-P6/60-2016-V2.0 CAUTION: READ INSTALLATION MANUAL BEFORE USING THE PRODUCT ©2016 GCL System Intergration Technology Co., Ltd. All rights reserved. Specifications included in this datasheet are subject to change without notice.